Refine Search

Search Results -

Term	Documents
"5081607"	2
5081607S	0
"5081607".PN..PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD.	2
(5081607.PN.).PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD.	2

Database:
US Pre-Grant Publication Full-Text Database
US Patents Full-Text Database
US OCR Full-Text Database
EPO Abstracts Database
JPO Abstracts Database
Derwent World Patents Index
IBM Technical Disclosure Bulletins

Search: L31

Refine Search

Recall Text   Clear   Interrupt

Search History

DATE: Friday, December 21, 2007   **Purge Queries**   Printable Copy   Create Case

Set Name side by side	Query	Hit Count	Set Name result set
	DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR		
L31	5081607.pn.	2	L31
L30	L26 and l8	0	L30
L29	L26 and l7	13	L29
L28	L26 and l6	8	L28
L27	L26 and l5	16	L27
L26	l19 and high near1 level near3 language$1	18	L26
L25	L19 and l10	1	L25
L24	L19 and l9	0	L24
L23	L19 and l8	0	L23

L22	L19 and l7	177	L22
L21	L19 and l6	168	L21
L20	L19 and l5	247	L20
L19	L18 and l4	296	L19
L18	(parallel or concurrent$3 or pipelin$7) near15 (decod$3 or execut$5)	88954	L18
L17	6324639.pn.	3	L17
L16	l4 and l10	1	L16
L15	l4 and l9	0	L15
L14	l4 and l8	0	L14
L13	l4 and l7	189	L13
L12	l4 and l6	179	L12
L11	l4 and l5	265	L11

DB=PGPB,USPT; PLUR=YES; OP=OR

L10	(710/305-307)![CCLS]	3115	L10
L9	(711/172)[CCLS]	379	L9
L8	(710/172)[CCLS]	0	L8
L7	(712/206-225)[CCLS]	5709	L7
L6	(712/210-228)[CCLS]	6202	L6
L5	(712/2-300)[CCLS]	14011	L5

DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR

L4	L3 near25 (instruction$1 or microinstruction$1 or macroinstruction$1)	355	L4
L3	(align$5 or combin$6 or encod$3 or convert$3 or conversion$1 or translat$5 or split$3 or partition$7 or divid$4) near8 (32 or 16 or sixteen or thirty near1 two or 64 or sixty or 126 or 512 or byte$1) near15 (variable or different) near5 (length or size or width)	3591	L3
L2	(align$5 or combin$6 or decod$3 or encod$3 or convert$3 or conversion$1 or translat$5 or split$3 or partition$7 or divid$4) near8 (32 or 16 or sixteen or thirty near1 two or 64 or sixty or 126 or 512 or byte$1) near15 (variable or different) near5 (length or size or width)	4175	L2
L1	(align$5 or combin$6 or decod$3 or encod$3 or convert$3 or conversion$1 or translat$5 or split$3 or partition$7 or divid$4) near8 (32 or 16 or sixteen or thirty near1 two or 64 or sixty or 126 or 512 or byte$1) near25 (variable or different) near5 (length or size or width)	4457	L1

END OF SEARCH HISTORY

IEEE Xplore®
RELEASE 2.4

Welcome United States Patent and Trademark Office

☐ Search Results   BROWSE   SEARCH   IEEE XPLORE GUIDE

Results for "(((width or length or size) and (variable or different) and (convert? or conversion) and (inst..."
Your search matched **1** of **1706580** documents.
A maximum of **100** results are displayed, **25** to a page, sorted by **Relevance** in **Descending** order.

New [Beta]
Application Notes
POWERED BY
SPEC

» Search Options

View Session History

New Search

Modify Search

(((width or length or size) and (variable or different) and (convert? or conversion)   **Search ➤**

☐ Check to search only within this results set

Display Format: ⦿ Citation   ○ Citation & Abstract

» **Key**

IEEE JNL	IEEE Journal or Magazine
IET JNL	IET Journal or Magazine
IEEE CNF	IEEE Conference Proceeding
IET CNF	IET Conference Proceeding
IEEE STD	IEEE Standard

IEEE/IET   **Books**   **Educational Courses**

IEEE/IET journals, transactions, letters, magazines, conference proceedings, and standards.

view selected items   Select All Deselect All

☐ 1. **Selective guarded execution using profiling on a dynamically scheduled processor**
       Mantripragada, S.; Nicolau, A.;
       Innovative Architecture for Future Generation High-Performance Processors and Systems, 1999.
       1-3 Nov. 1999 Page(s):15 - 22
       Digital Object Identifier 10.1109/IWIA.1999.898839

       AbstractPlus | Full Text: PDF(640 KB)   IEEE CNF
       Rights and Permissions

Help   Contac

© Copy